



Examples of Toilet Room Plans with Overlap

Handicap Accessibility Details cont'd


Water Closets Serving Children



Children's Water Closet Location



Children's Water Closet Height




Children's Dispenser Location


Advisory Specifications for Water Closets Serving Children Ages 3 through 12

	Ages 3 and 4	Ages 5 through 8	Ages 9 through 12
Water closet centerline	12 inches (305 mm)	12 to 15 inches (305 to 380 mm)	15 to 18 inches (380 to 455 mm)
Toilet seat height	11 to 12 inches (280 to 305 mm)	12 to 15 inches (305 to 380 mm)	15 to 17 inches (380 to 430 mm)
Grab bar height	18 to 20 inches (455 to 510 mm)	20 to 25 inches (510 to 635 mm)	25 to 27 inches (635 to 685 mm)
Water closet centerline	14 inches (355 mm)	14 to 17 inches (355 to 430 mm)	17 to 19 inches (430 to 485 mm)

Water Closets




(a) Accessible Water Closets




(b) Ambulatory Accessible Water Closets


Water Closet Location




Water Closet Height




Size of Clearance for Water Closet




Side Wall Grab Bar for Water Closet



Rear Wall Grab Bar for Water Closet



(a) Below Grab Bar



(b) Above Grab Bar

Dispenser Location